## Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently amended) A method of selecting a lowest cost selectable implementation <u>from a plurality of selectable implementations</u> for a component of a computer program, the method comprising steps of:

instrumenting said component to gather cost related compute cost information for each of the implementations during at least a partial run of said computer program;

said instrumentation computing a cost for each selectable implementation for at least one use of the component during said partial run, said computation being based on the current state of the run; and

based on the cost, selecting at runtime one of the plurality of selectable implementations for a subsequent at least partial run of the computer program, said one of the plurality of selectable implementations selected being the one with the lowest cost.

using the cost related information to estimate a cost for using each of a plurality of explicitly selectable implementations for the component in running the program, the cost-related information comprising a kind of use that is made of the candidate component or corresponding decisions made for other components that interact with said component; and

based on the estimate of the cost, selecting, at runtime, one of the plurality of the selectable implementations for a subsequent at least partial run of the computer program, the one of the plurality of explicitly selectable implementations selected being an implementation with the lowest cost.

- 2. (Canceled)
- 3. (Previously presented) The method as set forth in claim 1, wherein the selecting step is carried

out by an other component operable as a controller.

4. (Previously presented) The method as set forth in claim 1, wherein the selecting step is carried

out by an application program.

5. (currently amended) A computer readable storage medium including computer instructions for

carrying out a method of minimizing the cost of using a component of a computer program, the

method comprising steps of:

instrumenting the component to gather cost related compute cost information during at

least a partial run of said program;

said instrumentation computing a cost for each selectable implementation for at least one use of

the component during said partial run, said computation being based on the current state of the

run; and

based on the cost, selecting at runtime one of the plurality of selectable implementations

for a subsequent at least partial run of the computer program, said one of the plurality of

selectable implementations selected being the one with the lowest cost.

using the cost-related information to estimate a cost for using each of a plurality of

explicitly selectable implementations in running the program, the cost-related information

comprising a kind of use that is made of the component or corresponding decisions made for

other components that interact with said component; and

based on the costs estimated, selecting, at runtime, one of the explicitly selectable

implementations for a subsequent at least partial run of the program.

6. (Previously presented) The computer readable medium as set forth in claim 5, wherein a

default implementation is used during the at least partial run.

7. (Original) The computer readable medium as set forth in claim 5, wherein the selecting step is

carried out by an other component operable as a controller.

3

8. (Previously presented) The computer readable medium as set forth in claim 5, wherein the

selecting step is carried out by an application program.

9. (Currently amended) A computer system comprising a processor for running a method

plurality of components which interact during running thereof, at least one of the components

comprising:

a) receiving a plurality of explicitly selectable alternative implementations of components

of a computer program from a plurality of selectable implementations;

b) a common interface and semantics for receiving messages from another one of the

components and sending messages thereto;

c) an instrumentation for gathering cost related computing cost information during at

least a partial run of the computer program, the cost-related information comprising a kind of use

that is made of the component or corresponding decisions made for other components that

interact with said component;

said instrumentation computing a cost for each selectable implementation for at least one

use of the component during said partial run, said computation being based on the current state

of the run; and

based on the cost, selecting at runtime one of the plurality of selectable implementations

for a subsequent at least partial run of the computer program, said one of the plurality of

selectable implementations selected being the one with the lowest cost.

d) a cost estimator for using the cost-related information to estimate a cost for using each

of the explicit selectable alternative implementations; and

e) a selector for choosing, at runtime, one of the alternative implementations in response

to a message received at the interface from one of an application program and another one of the

components.

4

Serial Number 10/073630

Docket Number YOR920020023US1

Amendment after Final Page 5 of 9

10. (Previously presented) The computer system as set forth in claim 9, wherein one of the

alternative implementations comprises a default implementation which is operational before

operation of the selector.

11. (Previously presented) The computer system as set forth in claim 9, the selector being

operable to choose an alternative implementation based upon a cost measurement by the

instrumentation.

12. (Previously presented) The method of claim 1 further comprising a step of providing the

component with the plurality of explicitly selectable implementations which share a common

component interface and semantics.

13. (Previously presented) The medium of claim 5 further comprising instructions for providing

the component with the plurality of explicitly selectable implementations which share a common

component interface and semantics.

5